

CYS National Annex to CYS EN 1998-4:2006

Eurocode 8: Design of structures for earthquake resistance

Part 4: Silos, tanks and pipelines

Prepared by

Eurocodes Committee, Scientific and Technical

Chamber of Cyprus under a Ministry of Interior's Programme



NATIONAL ANNEX
TO
CYS EN 1998-4:2006 Eurocode 8: Design of structures for
earthquake resistance
Part 4: Silos, tanks and pipelines

This National Annex has been approved by the Board of Governors of the Cyprus Organisation for Standardisation on 11/06/2010.

INTRODUCTION

This National Annex has been prepared by the Eurocodes Committee of the Technical Chamber of Cyprus which was commissioned by the Ministry of Interior of the Republic of Cyprus

NA 1 SCOPE

This National Annex is to be used together with CYS EN 1998-4:2006

This National Annex gives:

- (a) Nationally determined parameters for the following clauses of CYS EN 1998-4:2006 where National choice is allowed (see Section NA 2)
- 1.1(4)
 - 2.1.2(4)P
 - 2.1.3(5)P
 - 2.1.4(8)
 - 2.2(3)
 - 2.3.3.3(2)P
 - 2.5.2(3)P
 - 3.1(2)P
 - 4.5.1.3(3)
 - 4.5.2.3(2)P
- (b) Decisions on the use of the Informative Annexes A and B (see Section NA 3)
- (c) References to non-contradictory complementary information to assist the user to apply CYS EN 1998-4:2006. In this National Annex such information is provided for the following clauses in CYS EN 1998-4:2006 (see Section NA 4)

NA 2 NATIONALLY DETERMINED PARAMETERS

NA 2.1 Clause 1.1 (4) Scope of CYS EN 1998-4:2006

For the design of facilities associated with large risks to the population or the environment the recommendations of other National Annexes may be used.

NA 2.2 Clause 2.1.2 (4)P Ultimate limit state

For the ultimate limit state, the value of the reference return period, T_{NCR} , is 475 years.

NA 2.3 Clause 2.1.3 (5)P Damage limitation state

For the damage limitation state, the value of the probability of exceedance, P_{DLR} , is 10% and the return period, T_{DLR} , is 95 years.

NA 2.4 Clause 2.1.4 (8) Reliability differentiation

The value of the importance factor γ_I for silos, tanks and pipelines is:

1. Importance Class I, $\gamma_I=0,8$
2. Importance Class II, $\gamma_I=1,0$
3. Importance Class III, $\gamma_I=1,2$

4. Importance Class IV, $\gamma_I = 1,6$

NA 2.5 Clause 2.2 (3) Reduction factor at damage limitation state

The reduction factor v that may be applied to the design seismic action is:

1. Importance Class I and II, $v = 0,5$
2. Importance Class III and IV, $v = 0,4$

In a specific area a different value of the reduction factor v may be used if this value is justified by special zoning studies.

NA 2.6 Clause 2.3.3.3 (2)P Foundation damping

The maximum value of radiation damping ξ_{\max} for soil-structure interaction analysis is 25%. Further guidance for the selection and use of damping values associated with different motions is provided in the CYS EN 1998-6:2005.

NA 2.7 Clause 2.5.2 (3)P Combination of seismic action with other actions

The value of factor ϕ that must be multiplied with the combination coefficient ψ_{Ei} is:

1. $\phi = 1$ for full silo, tank and pipeline
2. $\phi = 0$ for empty silo, tank and pipeline

NA 2.8 Clause 3.1 (2)P Introduction – Unit weights

The unit weights of the particulate solid in silos is the upper value of the unit weight listed in the CYS EN 1991-4:2006, Table E1.

For materials not listed in the table thorough tests must be carried out to determine the lower and upper value of the unit weight.

NA 2.9 Clause 4.5.1.3 (3) Piping – amplification factor

The value of the amplification factor γ_{p1} on forces transmitted by the piping to the region of the tank where the piping is attached is 1,3.

NA 2.10 Clause 4.5.2.3 (2)P Piping – overstrength factor

The value of the overstrength factor that must be taken into account on the design resistance of the piping is $\gamma_{p2} = 1,3$.

NA 3 DECISION ON USE OF THE INFORMATIVE ANNEXES A AND B

NA 3.1 Annex A

Annex A may be used

NA 3.2 Annex B

Annex B may be used

NA 4 REFERENCES TO NON-CONTRADICTIONARY COMPLEMENTARY INFORMATION

None

CYPRUS ORGANISATION FOR STANDARDISATION

Limassol Avenue and Kosta Anaxagora 30,
2nd & 3rd Floor, 2014 Nicosia, Cyprus
P.O.BOX.16197, 2086 Nicosia, Cyprus
Tel: +357 22 411411 Fax: +357 22 411511

E-Mail: cystandards@cys.org.cy

Website: www.cys.org.cy
