

***NATIONAL ANNEX
TO
CYS EN 1994-1-2: 2005
(Including
Corrigendum AC:2009)***

***Eurocode 4: Design of
Composite steel and
concrete structures***

***Part 1-2: General rules
– Structural fire
design***

NATIONAL ANNEX
TO
CYS EN 1994-1-2: 2005 (Including Corrigendum AC:2009)
Eurocode 4: Design of Composite steel and concrete
structures
Part 1-2: General rules – Structural fire design

This National Annex has been approved by the Board of Directors of the Cyprus Organisation for Standardisation (CYS) on 14.06.2019.

Copyright

Right to reproduce and distribute belongs to the Cyprus Organisation for Standardisation.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Cyprus Organisation for Standardisation.

If you have any questions about standards copyright, please contact Centre of Information and Customer Service at the Cyprus Organisation for Standardisation phone: +357 22 411413/4 email: c.service@cys.org.cy

INTRODUCTION

This National Annex has been prepared by the CYS TC 18 National Standardisation Technical Committee of Cyprus Organisation for Standardisation. (CYS)

NA 1 SCOPE

This National Annex is to be used together with CYS EN 1994-1-2: 2005 (including corrigendum AC:2009).

Any reference in the rest of text to CYS EN 1994-1:2004 means the above document.

This National Annex gives:

- (a) Nationally determined parameters for the following clauses of CYS EN 1994-1-2:2004 where National choice is allowed (see Section NA 2):
- 1.1 (16)
 - 2.1.3 (2)
 - 2.3 (1) P
 - 2.3 (2) P
 - 2.4.2 (3)
 - 3.3.2 (9)
 - 4.1 (1) P
 - 4.3.5.1 (10)
- (b) Decisions on the use of the Informative Annex A, B, C, D, E, F, G, H and I (see section NA3).
- (c) References to non-contradictory complementary information to assist the user to apply CYS EN 1994-1-2: 2004 (see Section NA 4).

NA 2 NATIONALLY DETERMINED PARAMETERS

NA 2.1 Clause 1.1(16) General scope:

No further information concerning the decision to use of Concrete Strength Class higher than C50/60 is provided.

NA 2.2 Clause 2.1.3 (2): Parametric fire exposure.

The values defined for symbol $\Delta\theta_1$ and $\Delta\theta_2$ are $\Delta\theta_1$ is set to 200K and $\Delta\theta_2$ is set to 240K.

NA 2.3 Clause 2.3.1 (P): Design values of materials or material properties.

The value defined for mechanical of steel and concrete of the partial factor for the fire situation are $\gamma_{M,fi,a}$, $\gamma_{M,fi,s}$, $\gamma_{M,fi,c}$ and $\gamma_{M,fi,v}$ is set to 1.0.

NA 2.4 Clause 2.3.2 (P): Design values of thermal properties material.

The value defined for thermal properties of steel and concrete for the fire situation symbol $\gamma_{M,fi}$ is set to 1.0.

NA 2.5 Clause 2.4.2.3 Member Analysis

The value defined for symbol γ_G is set to 1.35 and the recommended value for γ_Q is set to 1.5. As a simplification the value defined of symbol η_{fi} is set to 0.65 except for imposed loads where the recommended value is set to 0.7.




Figure 2.1 (CYS): Variation of the reduction factor η_s with the load ratio $Q_{k,1}/G_k$

NA 2.6 Clause 3.3.2(9) Normal Weight Concrete

The use of the upper limit of λ_c , thermal conductivity of normal weight concrete is recommended.

NA 2.7 Clause 4.1(1) P Design procedures.

No further information concerning the decision to use advanced calculation model is provided.

NA 2.8 Clause 4.3.5.1 (10) Composite column, structural behaviour.

The defined values for symbols L_{ei} and L_{et} are L_{ei} is set to 0.5 times the system length L and L_{et} is set to 0.7 times the system length L .




Figure 4.6 (CYS): Structural behaviour of columns in braced frames

NA 3 Guidance on using Informative Annexes A, B, C, D, E, F G, H and I.

NA 3.1 Annex A

Annex A may be used.

NA 3.2 Annex B

Annex B may be used.

NA 3.3 Annex C

Annex C may be used.

NA 3.4 Annex D

Annex D may be used.

NA 3.5 Annex E

Annex E may be used.

NA 3.6 Annex F

Annex F may be used.

NA 3.7 NA 4 Annex G

Annex G may be used.

NA 3.8 Annex H

Annex H may be used.

NA 3.9 Annex I

Annex I may be used.

NA 4 References to Non-Contradictory Complementary Information

None.

**NA to
CYS EN
1994-1-2:2004
(Including
AC:2009)**

CYPRUS ORGANISATION FOR STANDARDISATION

Limassol Avenue and Kosta Anaxagora 30,
2nd & 3rd Floor, 2014 Strovolos, Cyprus
P.O.BOX.16197, 2086 Nicosia, Cyprus
Tel: +357 22 411411 Fax: +357 22 411511
E-Mail: cystandards@cys.org.cy
Website: www.cys.org.cy